

Report Number: 16-305-0201

Account Number: 11035



7621 Whitepine Road, Richmond, VA 23237

Main 804-743-9401 ° Fax 804-271-6446

www.waypointanalytical.com

Send To: Denali Water  
Cindy Duenes  
2001 Key Street  
Colton, CA 92324

Project : MBC AZ Cert#0629

Lab Number : 60458

Sample Id : MBC

**REPORT OF ANALYSIS**

Date Sampled: 10/28/2016 12:30:00

Date Received: 10/31/2016 00:00

Date Reported: 11/08/2016

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Solids *	28.76	287600	100.0	BW1	10/31/2016 15:30	SM-2540G
Moisture *	71.23		100.0	BW1	10/31/2016 15:30	SM-2540G
Total Kjeldahl Nitrogen	4.55	45500	10.0	SJB	11/01/2016 09:25	SM-4500-NH3C-TKN
Total Phosphorus	1.33	13300	100	BW	11/01/2016 08:00	SW-6010B
Total Potassium	0.08	760	100	BW	11/01/2016 08:00	SW-6010B
Total Sulfur	4.00	40000	100	BW	11/01/2016 08:00	SW-6010B
Total Calcium	2.63	26300	100	BW	11/01/2016 08:00	SW-6010B
Total Magnesium	0.34	3410	100	BW	11/01/2016 08:00	SW-6010B
Total Sodium	0.19	1860	100	BW	11/01/2016 08:00	SW-6010B
Total Iron		52000	100	BW	11/01/2016 08:00	SW-6010B
Total Aluminum		3890	100	BW	11/01/2016 08:00	SW-6010B
Total Manganese		346	5	BW	11/01/2016 08:00	SW-6010B
Total Copper		692	5	BW	11/01/2016 08:00	SW-6010B
Total Zinc		991	5	BW	11/01/2016 08:00	SW-6010B
Ammonia Nitrogen	1.13	11300	10.0	SJB	11/01/2016 09:25	SM-4500-NH3C
Organic N	3.42	34200	10.0		11/01/2016 09:25	CALCULATION
Nitrate+Nitrite-N		<1.22	1.22	SJB	11/02/2016 12:20	4500NO3F-2011

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Debbie Holt  
Laboratory Supervisor

**DENALI\_004532**

Report Number: 16-305-0201

Account Number: 11035



7621 Whitepine Road, Richmond, VA 23237  
Main 804-743-9401 ° Fax 804-271-6446  
www.waypointanalytical.com

Send To: Denali Water  
Cindy Duenes  
2001 Key Street  
Colton, CA 92324

Project : MBC AZ Cert#0629

Lab Number : 60458

Sample Id : MBC

**REPORT OF ANALYSIS**

Date Sampled: 10/28/2016 12:30:00

Date Received: 10/31/2016 00:00

Date Reported: 11/08/2016

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Cadmium		<2.0	2.0	BW	11/01/2016 08:00	SW-6010B
Total Chromium		51	5	BW	11/01/2016 08:00	SW-6010B
Total Nickel		31	5	BW	11/01/2016 08:00	SW-6010B
Total Lead		20	5	BW	11/01/2016 08:00	SW-6010B
Total Arsenic		3.6	3.0	BW	11/01/2016 08:00	SW-6010B
Total Mercury		0.784	0.400	JM	11/07/2016 09:50	SW-7471B
Total Selenium		<5.0	5.0	BW	11/01/2016 08:00	SW-6010B
Total Molybdenum		21	5	BW	11/01/2016 08:00	SW-6010B

**Comments:**

SULFUR NOT FOR COMPLIANCE PURPOSES

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

*Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.*

A handwritten signature in black ink, appearing to read "Debbie Holt".

Debbie Holt  
Laboratory Supervisor

**DENALI\_004533**